


Message from Dr. Clinton Rubin



I have spent the entire 30 years of my scientific career trying to understand how mechanical signals influence the body. One of our key findings has been that extremely low magnitude mechanical signals, delivered in the form of Low-intensity Vibration (LiV), have the capacity to dictate the regeneration patterns of mesenchymal

stem cells (MSCs) found within the body to stimulate bone and muscle and suppress the formation of fat.

We have discovered, through our many years of scientific research, that Low-intensity Vibration promotes the building of lean muscle mass and the conditioning of muscle reflexes.

It is the goal of all biomedical scientists to see the work that we do in the laboratory translate to the clinic, to help the health and well-being of patients. It is very exciting, indeed, that we are finally achieving this goal. Thank you for considering the Marodyne LiV-Therapy as a potential mean of restoring and protecting muscular wellness. It has been a long scientific journey, but we are very, very pleased to see the application of this technology become a reality. This guide will give you all the information you need to know about Low-intensity Vibration.

Best Regards,

Clinton T. Rubin, Ph.D.

Chief Scientific Officer, SUNY Distinguished Professor & Chair Department of Biomedical Engineering Stony Brook University Stony Brook, New York



Stony Brook University

Effectiveness Proven by Studies

Decades of research and many scientific publications show that LiV therapy supports muscle building and better bone quality. Please do not hesitate to contact us for further information.

Low Magnitude Mechanical Loading Is Osteogenic in Children With Disabling Conditions Ward, K., Alsop, C., Caulton, J., Rubin, C., Adams, J. & Mughal, Z. *Journal of Bone and Mineral Research* (2004)

Effect of High-frequency, Low-magnitude Vibration on Bone and Muscle in Children With Cerebral Palsy Wren TLA, Lee DC, Hara R, Rethlefsen SA, Kay RM, Dorey FJ & Gilsanz, V. *J Pediatr Orthop* (2010)

Effect of whole body vibration (WBV) therapy on bone density and bone quality in osteopenic girls with adolescent idiopathic scoliosis: a randomized, controlled trial. Lam, T. P., Ng, B. K. W., Cheung, L. W. H., Lee, K. M., Qin, L., & Cheng, J. C. Y., *Osteoporosis International*, 24, 1623–1636 (2013)

Effects of Low-Magnitude High-Frequency Vibration on Bone Density, Bone Resorption and Muscular Strength in Ambulant Children Affected by Duchenne Muscular Dystrophy Bianchi ML., Vai S., Morandi S., Baranello G., Pasanisi B., & Rubin C., *ASMBR Oral Paper* (2013)

Effect of Whole-Body Vibration Therapy on Health-Related Physical Fitness in Children and Adolescents With Disabilities: A Systematic Review Matute-Llorente, González-Aguero, Gómez-Cabello A., Vicente-Rodríguez G., & Casajús Mallén JA. *Journal of Adolescent Health* (2014)

Effects of 18-month low-magnitude high-frequency vibration on fall rate and fracture risks in 710 community elderly - a cluster-randomized controlled trial *Osteoporosis International* Jun;25(6):1785-95 (2014)

Prevention of postmenopausal bone loss by a low-magnitude, high-frequency mechanical stimuli... Rubin C, Recker R, Cullen D, Ryaby J, McCabe J, McLeod K., *Journal of Bone and Mineral Research* 2004 Mar, 19(3):343-351

Weißbuch Osteoporose Hrsg.: Berufsverband Fachärzte für Orthopädie e.V., Berlin, (2004)

Effect of 12 months of whole-body vibration therapy on bone density and structure in postmenopausal women: a randomized trial. Slatkowska L et al., *Annals of Internal Medicine* Dec 20;155(12):860 (2011)

Safety and severity of accelerations delivered from whole body vibration exercise devices to standing adults Jesse Muir, Douglas Kiel, Clinton Rubin, *Journal of Science and Medicine in Sport*, Nov;16(6):526-31 (2013)

Mechanical signals as anabolic agents in bone. Engin Ozcivici, Janet Rubin, Stefan Jurdex, Clinton T. Rubin et al., *Nature Reviews Rheumatology* 6, 50-59, 2009 (January 2010)

Anabolism: Low mechanical signals strengthen long bones. Clinton Rubin, A. Simon Turner, Steven Bain, Craig Mallinckrodt, Kenneth McLeod, *Nature*, Band 412, 603-604 (August 2001)

Changes in postural muscle dynamics as a function of age. Huang RP, Rubin CT, McLeod KJ, *The Journals of Gerontology Series A Biological Sciences and Medical Sciences* (1999)

Quantity and Quality of Trabecular Bone in the Femur Are Enhanced by a Strongly Anabolic, Noninvasive Mechanical Intervention. Rubin CT et al., *Journal of Bone and Mineral Research* (2002)

Low-Magnitude, High-Frequency Vibration Enhances Fracture Healing and Rehabilitation in Elderly with Intertrochanteric Fractures Leung, KS; Cheung, WH et. al., *ORS Annual Meeting*. Long Beach, CA, USA. Jan 13-16, 2011. Podium presentation (2011)

Low-Magnitude Mechanical Stimulation to Improve Bone Density in Persons of Advanced Age. A Randomized, Placebo-Controlled Trial. Kiel DP, Hannan MT, Barton BA, Bouxsein ML, Sisson E, Lang T, Allaire B, Dewkett D, Carroll D, Magaziner J, Shane E, Leary ET, Zimmerman S, Rubin CT., *Journal of Bone and Mineral Research* Jul;30(7):1319-28 (2015)

Fight Against Your Osteoporosis



The ultimate therapy for treatment of osteoporosis as well as the impact of metabolic and degenerative diseases

- Unique operating principle
- Medication-free
- Biomechanical
- Clinically tested
- Simplest application
- No side effects
- Highly effective
- Non invasive
- CE-certified




Treatment of Osteoporosis with Ma

Benefits of using Low-intensity Vibration

- Can stop osteoporosis without medication
- Builds natural new bone mass
- Increases the osteointegration of implants
- Enhances muscular health, treats sarcopenia
- Better postural stability
- Improves blood circulation through more mobility
- Absolutely gentle and safe treatment

Can you run **18** kilometers in **10** minutes?
This equals the stimulation Marodyne LiV
gives your body every day!



Osteoporosis: Bones becoming weak

Function

Low-intensity Vibration works at the level of contributing to the physical environment, and therefore allowing a way to non-invasively control the actions of cells.

In diseases such as osteoporosis, where the normal mechanical environment is lost due to the weakened bone, Low-intensity Vibration can be effective because it, in essence, mimics this mechanical component and stimulates the body's natural responses to the biophysical stimuli to build new bone.

According to more than 35 years of research, Low-intensity Vibration acts as a safe intervention against musculoskeletal collapse. A healthy musculoskeletal system is essential to the aging process.


Effectiveness of Low-intensity Vibration

Research is based on how cells respond to Low-intensity Vibration. While a 0.4g acceleration does not feel like much to an individual, it is a strong signal to an individual cell.

Mesenchymal stem cells (MSCs) are an adult stem cell population primarily found in the bone marrow, and are able to differentiate into various cell types, including bone cells (osteoblasts), fat cells (adipocytes), fibroblasts, cartilage cells (chondrocytes), and muscle cells (myocytes). Studies show therapeutic potential of MSCs has increased in recent years.

Mechanical control of stem cell growth and differentiation is what makes Low-intensity Vibration applicable to many different conditions.

rodynne LiV and 10 minutes a day



er due to hormonal changes or age

Developed with support by NASA



Treatments

- Osteoporosis – bones becoming porous, or brittle, due to hormonal changes or age
- Osteopenia – bone density levels are lower than normal
- Pain – helps reduce pain, back pain, pain of chemotherapy
- Postural stability – enhanced balance and coordination, fall prevention for the elderly
- Rehabilitation (after operations) – speeds up bone growth into the prosthesis because of a faster stem cells adsorption

No Side-Effects

Safe solution – several decades of research have shown that Low-intensity Vibration offers a safe alternative that may stimulate muscles to help build lean mass and relieve aches and pains throughout the body.


Not Just a Matter of Magnitude:

Fundamental Differences Between Low-intensity Vibration and High-intensity Vibration

According to research focused on Low-intensity Vibration, there is a small therapeutic window where mechanical signals are effective without putting you at risk.

The delivered signal has to be just right: too little or too much stimulus are both equally ineffective as therapies.

In fact, too much signal, like those found in whole body vibration devices, can be extremely dangerous, which has been emphasized in the biomedical literature.



With 10 minutes of low-intensity vibration daily, you will achieve the highest effect on bones, muscles and stem cells.